

FERMOIE

Wallpaper Technical Data Sheet

SECTION 1: Identification

Product	Fermoie Wallpaper.
Supplier	Fermoie Ltd.
Address	Head Office - Unit 8 Hertford Court, Marlborough Business Park, Marlborough, Wiltshire, SN8 4AW.
Phone	+44(0)1672 513723
Email	info@fermoie.com

SECTION 2: Hazard Identification

Classification	Not classified as hazardous under CLP Regulation (EC No. 1272/2008).
Label Elements	No labelling required.
Other Hazards	None known under normal conditions of use.

SECTION 3: Composition / Specification

Substrate	Non-woven paper made from Cellulose (46-52%), Polyester (11-13%), Binder (17-20%) and Mineral pigments (19-22%) PVC free. Sourced from sustainably managed forests.
Surface	Water-based inks – Odourless. UL ECOLOGO® GREENGUARD GOLD certified to standards for low chemical emissions into indoor air.
Paper weight	Approx. 147gsm
Roll Width	67 cm / 26 3/8 inches
Roll Length	10 m / 11yds

SECTION 4: First Aid Measures

Inhalation	Not relevant under normal use.
Skin Contact	No known hazard; wash with water if irritation occurs.
Eye Contact	Dust or fibres may cause irritation; rinse thoroughly.
Ingestion	Not intended for ingestion; seek medical attention if swallowed.

SECTION 5: Firefighting Measures

Suitable Extinguishing	Water, foam, CO ₂ , dry powder.
Hazards from Combustion	May release CO, CO ₂ , and smoke in fire.
Protective Equipment	Standard firefighting PPE.

SECTION 6: Handling and Storage

Storage	Store in a dry, clean environment.
Exposure	Avoid exposure to moisture and direct sunlight.
Ventilation	No special ventilation required.
Washability	Wipeable (not washable or scrub-resistant).

SECTION 7: Declared Performance

Fire Rating	D-s3,d2 – Standard EN 15102:2019 ASTM E84
Release of formaldehyde, VOCs, or heavy metals	Pass; compliant with EU regulations.

SECTION 8: Disposal Considerations

Non-hazardous waste.
Dispose via household or commercial waste streams depending on local regulations.

SECTION 9: Regulatory Information

Not classified as a hazardous substance or mixture.
Article per REACH definition – no registration required.

NOTES FOR DECORATORS

<p>Initial Inspection</p> <p>We take great care at every stage in producing and packing our wallpaper. However, before you start to cut and hang the paper we ask that you inspect all rolls carefully to ensure they are undamaged and free from defects, and that the design and colourway match the order. Our wallpaper can be rolled in either direction, so please also make sure the pattern is the correct way up – you can find reference images at fermoie.com. Please note that we cannot accept responsibility for errors once the paper has been hung.</p>

NOTES FOR DECORATORS CONTINUED

Wall Preparation

For best results, walls should be smooth, dry, and free from dust, grease, and any contaminants that may affect adhesion or cause staining. We strongly recommend cross lining the walls prior to installation.

All existing wallpaper, backing, and lining paper must be fully removed, and any holes, cracks, or surface imperfections should be filled and sanded as required.

Powdery, flaky, or highly absorbent surfaces should be scraped back and treated with a high-quality primer sealer, applied according to the manufacturer's instructions. Allow to dry thoroughly before proceeding.

Previously painted surfaces should be washed, lightly sanded to create a key, and sealed with a primer as above.

We recommend using good quality medium-to heavyweight lining paper (approximately 1200–1400 grade) for optimal results.

Adhesive and Pasting

When hanging Fermoie wallpaper, paste either the paper or the wall. For best results, use a mid-weight, good-quality paste.

Smooth out bubbles with a wallpaper brush or plastic smoother.

Trim top and bottom edges with a sharp blade.

Final Checks

After hanging three or four lengths (up to a maximum of one roll), check the wallpaper again to ensure no faults are present, as we are unable to reimburse you for any associated costs beyond one roll. If you do discover a problem, stop immediately and contact the place of purchase with details of the issue.

For any further queries or advice, please email | info@fermoie.com